



NOTES:

1. REFER TO PLANTING REQUIREMENTS IN APPENDIX A OF STORMWATER MANUAL.
 - A. HERBACEOUS PLANTS AND GROUNDCOVERS THAT REQUIRE MORE THAN 12" O.C. SPACING ARE PROHIBITED.
 - B. ONLY SMALL SHRUBS (NO MORE THAN 3' POTENTIAL HEIGHT) THAT REQUIRE NO MORE THAN 24" O.C. SPACING SHALL BE ALLOWED.
2. ALL PLANTS SHALL BE PLANTED AT EQUAL TRIANGULAR SPACING ON CENTER. INTERIOR PLANT SPACING MAY BE SLIGHTLY ADJUSTED TO ACHIEVE DESIRED EDGE SETBACKS.
3. PLANTING DENSITY SHALL AVERAGE NO LESS THAN 90 TO 115 PLANTS FOR EVERY 100 SQUARE FEET, DEPENDING ON PLANTING DIVERSITY.
4. PLANTS SHALL BE LOCATED SET BACK FROM FACILITY EDGES AS FOLLOWS:
 - A. HERBACEOUS PLANTS AND GROUNDCOVERS: 6" FROM CENTER OF PLANT TO FACE OF FACILITY WALL, BACK OF CURB OR SIDEWALK EDGE.
 - B. SHRUBS: 18" FROM CENTER OF PLANT TO FACE OF FACILITY WALL, BACK OF CURB OR SIDEWALK EDGE AND 24" O.C. FROM SHRUB TO SHRUB.



Public Works Standard Drawings

ROADSIDE STORMWATER PLANTER
PLANT SPACING

SCALE		NTS	
DATE		JAN '23	REV.
ENGR.	DW	DRAWN KAE	
		DRAWING NO.	630